

According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : KEMETYL GLYCOCOOL PREMIUM ANTIFREEZE 774 C/P CONCENTRATE

Product code : CRX862p-k, GBC450; GBC459; GBC45Z

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU22 Professional use. For industrial or institutional use. PC4 Antifreeze and de-icing products.

Coolant.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Polska Sp. z o. o.

Al. Jerozolimskie 146 02-305 Warszawa, Poland

Telephone : +48 22 822 5390
E-mail : msds@kemetyl.com
Website : www.kemetyl.pl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

PL - Telephone : +48 22 822 5390 (During office hours only)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Acute toxicity, category 4. Specific target organ toxicity — repeated exposure, category 2.

(1272/2008/EC)

Human health hazards : Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :





Signal word : Warning

H- and P-phrases : H302 Harmful if swallowed.

H373 kidneys May cause damage to kidneys through prolonged or repeated exposure.

P260 vapour Do not breathe vapours.

P264 Wash hands thoroughly after handling.P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Ethanediol .

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 1/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

: 3 per cent of the mixture consists of component(s) of unknown acute toxicity. Contains 3 % of components with unknown hazards to the aquatic environment.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%. Human health: This

product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at levels of 0.1% or higher. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or

Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| | Concentration (w/w) (%) | CAS nr. | EC number | Remark | REACH nr. |
|------------------------------|----------------------------|------------|-----------|--------|------------------|
| Ethanediol | > 75 | 107-21-1 | 203-473-3 | | 01-2119456816-28 |
| Sodium metaborate, dihydrate | 1 - < 5 | 16800-11-6 | 231-891-6 | | 01-2119516444-44 |

| Substance name | Hazard Class | H-phrases | Pictograms | |
|------------------------------|-----------------------|-------------|--------------|--------------------|
| Ethanediol | Acute Tox. 4; STOT RE | H302; H373 | GHS07; GHS08 | |
| | 2 | | | |
| Sodium metaborate, dihydrate | Eye Irrit. 2; Repr. 2 | H319; H361d | GHS07; GHS08 | H361d : C >= 9,1 % |

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries

up.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor immediately if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness.

Skin contact : May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause a feeling of sickness, malaise,

shortness of breath and lack of breathe.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians

General : Risk of metabolic acidosis.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 2/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by Aminchi



According to Regulation (EU) No 2020/878

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Alcohol resistant foam. Dry chemical. Water fog.

Not suitable : Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal decomposition and combustion products

: Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

: Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves

risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Do not breathe vapour. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place. Keep away from oxidizing agents. Keep away from

food, drink and animal feedingstuffs.

Recommended packaging : Keep only in the original container.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 3/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

Non recommended packaging

: None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

| | 0 , | | | | |
|---------------|----------------|------------|-------------|----------|----------------------|
| Chemical name | Country | TWA 8 hour | STEL 15 min | Comments | Source |
| | | (mg/m3) | (mg/m3) | | |
| Ethanediol | EC | 52 | 104 | Skin | Directive 2000/39/EC |
| | GB | 52 | 104 | Skin | |

Derived no-effect level (DNEL) for workers:

| Chemical name | Route of | DNEL, short-term | | DNEL, long-term | |
|------------------------------|------------|------------------|-----------------|-----------------|--------------------|
| | exposure | | | | |
| · | | Local effect | Systemic effect | Local effect | Systemic effect |
| Ethanediol | Dermal | | | | 106 mg/kg bw/day |
| | Inhalation | | | 35 mg/m3 | |
| Sodium metaborate, dihydrate | Inhalation | 15.3 mg/m3 | 8.8 mg/m3 | 15.3 mg/m3 | 8.8 mg/m3 |
| | Dermal | | | | 413.9 mg/kg bw/day |

Derived no-effect level (DNEL) for consumers:

| Chemical name | Route of | DNEL, short-term | | DNEL, long-term | |
|------------------------------|------------|------------------|-----------------|-----------------|--------------------|
| | exposure | | | | |
| | | Local effect | Systemic effect | Local effect | Systemic effect |
| Ethanediol | Dermal | | | | 53 mg/kg bw/day |
| | Inhalation | Ī | | 7 mg/m3 | |
| Sodium metaborate, dihydrate | Inhalation | 17.04 mg/m3 | 4.44 mg/m3 | 15.3 mg/m3 | 4.44 mg/m3 |
| | Dermal | | | | 208.8 mg/kg bw/day |
| | Oral | | 1.03 mg/kg bw | | 1.03 mg/kg bw/day |

Predicted no-effect concentration (PNEC):

| Chemical name | Route of exposure | Fresh water | Marine water | |
|------------------------------|--------------------|-------------|--------------|------------|
| Ethanediol | Water | 10 mg/l | 1 mg/l | |
| | Sediment | 20,9 mg/kg | | |
| | Intermittent water | | | 10 mg/l |
| | STP | | | 199,5 mg/l |
| | Soil | | | 1,53 mg/kg |
| Sodium metaborate, dihydrate | Water | 2.02 mg/l | 2.02 mg/l | |
| | STP | | | 10 mg/l |
| | Soil | | | 5.4 mg/kg |

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working

with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to

exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 4/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Personal protective equipment:

Eye protection

SECTION 9

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale

exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance

with EN 140.

PHYSICAL AND CHEMICAL PROPERTIES

Hand protection : Under normal conditions of use specific gloves are not required. Wear suitable gloves in case of

frequent or prolonged use and in case of large scale exposure in accordance with EN 374. Suitable

material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours. Wear appropriate safety glasses when there is danger of possible eye contact.

9.1. Information on basic physical and chemical properties

Physical state : Liquid.
Colour : Blue-green.
Odour : Characteristic.
Odour threshold : Not known.

pH : 2 - 11,5 10% solution.

Solubility in water : Soluble.

Partition coefficient (n-oc- : Not known. Not measured. Not relevant for mixtures.

tanol/water)

Flash point : 125 °C Closed cup.

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : 400 °C Boiling point/boiling range : 165 °C Melting point/melting range : -12 °C

Explosive properties : Not an explosive.

Explosion limits (% in air) : Not known. Lower explosion limit in air (%): 3,2 (Ethanediol)

Upper explosion limit in air (%): 15,3 (Ethanediol)

Oxidising properties : Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable. Kinematic viscosity (20°C): Not applicable. Viscosity (40°C): Not applicable. Vapour pressure (20°C): Not known.

Relative vapour density : > 1 (air = 1)

Relative density (20°C) : 1,17 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 5/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

: Calculated LC50: > 2,632 mg/l. Ingredients of unknown toxicity: 3 %. ATE: > 5 mg/l. Low toxicity. Acute toxicity

Not classified - based on available data, the classification criteria are not met. May cause

headache, dizziness and a feeling of sickness.

Corrosion/irritation

Not classified - based on available data, the classification criteria are not met.

Sensitisation

Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.

: Does not contain carcinogenic substances. Not classified - based on available data, the Carcinogenicity

classification criteria are not met.

: Does not contain mutagenic substances. Not classified - based on available data, the classification Mutagenicity

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 3 %. ATE: > 5000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the

classification criteria are not met.

Sensitisation Does not contain skin sensitisers. Not classified - based on available data, the classification criteria

Mutagenicity Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eve contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not

met.

Ingestion

Aspiration

Acute toxicity : May cause signs of intoxication and reduced consiousness after exposure to high concentrations.

May cause a feeling of sickness, malaise, shortness of breath and lack of breathe. Calculated

LD50: 5000 mg/kg.bw. Ingredients of unknown toxicity: 3 %. ATE: 500 mg/kg.bw.

Not classified - based on available data, the classification criteria are not met. Does not contain

substances with an aspiration hazard. Chronic toxicity Possibility of organ or organ system damage due to prolonged exposure. Target organ(s): Kidneys.

Effect: May cause nephrolithiasis.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

: Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Product name Page 6/10

Date of issue : 2023-09-07 Replaces issue dated SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not classified - Based on available data, the classification criteria are not met.

Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the

classification criteria are not met.

Toxicological information:

| Chemical name | Property | | Method | Test animal |
|---------------|-------------------------|-----------------|----------|-------------|
| Ethanediol | NOAEL (development, | 250 mg/kg bw/d | | Rat |
| | oral) | | | |
| | LD50 (dermal) | 10600 mg/kg bw | | |
| | Mutagenicity | Not mutagenic | | |
| | Genotoxicity - in vitro | Not genotoxic | | |
| | Skin irritation | Non-irritant | | Rabbit |
| | Skin sensitisation | Not sensitizing | OECD 406 | Guinea pig |
| | NOEL (inhalation) | 71 mg/m3 | | |
| | LD50 (oral) | 7712 mg/kg bw | | Rat |
| | Eye irritation | Non-irritant | | Rabbit |
| | LD50 (oral) - estimate | 500 mg/kg bw | | |
| | LC50 (inhalation) | > 2500 mg/m3 | | Rat |
| | LC50 (inhalation) - | > 5000 mg/m3 | | |
| | estimate | | | |
| | NOAEL (oral) | 150 mg/kg bw/d | OECD 452 | Rat |
| | NOEL (carcinogenicity, | 1000 mg/kg bw/d | | Rat |
| | oral) | | | |

Other information : Ethanediol: There is a marked difference in acute oral toxicity between rodents and man, man

being more susceptible than rodents. The estimated fatal dose for man is 100 millilitres (1/2 cup).

11.2. Information on other hazards

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 3793 mg/l. Calculated EC50 (waterflea): 107 mg/l. Contains 3 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 7/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers should be recycled or

re-used. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses. Avoid discharge of waste

water arising from tank cleaning to the environment.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments. Packaged liquids are not considered bulk.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 8/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations. Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety

: Not applicable.

assessment

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC European Economic Community

GHS Globally Harmonized System of Classification and Labelling of Chemicals

International Air Transport Association IATA International Bulk Chemical Code IBC code

IMDG International Maritime Dangerous Goods Code Lethal Dose/Concentration for 50% of a population LD50/LC50

MAC Maximum Allowable Concentration

: International Convention for the Prevention of Pollution From Ships MARPOL

: No Observed (Adverse) Effect Level NO(A)EL

Organisation for Economic Co-operation and Development OECD

PBT Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulations concerning the International Carriage of Dangerous Goods by Rail RID

STP Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN United Nations

UFI Unique formula identifier VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 9/10

Date of issue : 2023-09-07 Replaces issue dated SDS 'autogenerated' by



According to Regulation (EU) No 2020/878

Kemetyl

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Acute Tox. 4 : Calculation method. STOT RE 2 : Calculation method.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4 : Acute toxicity, category 4. Eye Irrit. 2 : Eye irritation, category 2.

STOT RE 2 : Specific target organ toxicity — repeated exposure, category 2.

Full text of H-phrases mentioned in section 3:

H302 Harmful if swallowed.
H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Advice on any training appropriate for workers: none.

Country / Language code : EC / EN

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2023-09-13

Product name : Kemetyl GlycoCool Premium Antifreeze 774 C/P concentrate Page 10/10

Date of issue : 2023-09-07 Replaces issue dated : --- SDS 'autogenerated' by